ITS.

Implants
trauma



CFN

Cannulated Femur Nail

Product Features

- Nail material: TiAl6V4 ELI
- Material of screw: TiAl6V4 ELI
- Easier removal of implant after fracture has healed
- Improved fatigue strength of implant
- Reduced risk of inflammation and allergy
- Anatomically shaped
- Single radiolucent insertion guide for left and right sides
- Intramedullary insertion allows early weight bearing
- Multi-directional proximal Locking
- Dynamic interlock options to allow for fracture compression on axial loading without sacrificing rotational stability
- Left and right sided nails

CFN

Cannulated Femur Nail

Reamer Features

- Nitinol shaft with large AO-Connector, easy to clean
- Reamer heads available from D=8.0 – 14.0mm in 0.5mm increments
- 5 Reamer blades for easy reaming
- 67% free clearance space for low intramedullary pressure and temperature





- Ball tipped guide wire fits through nail (no change of guide wire necessary)
- Lightweight tissue protection sleeve with AO Connector for easy handling
- Radiolucent outer protection sleeve





I.T.S. USA
1778 Park Avenue N, Suite 200
Maitland, FL 32751

Tel.: 877 - 971 - 8054
Fax: 877 - 971 - 8056
info@its-implantusa.com
www.its-implantusa.com